Refine Search

Search Results -

Terms	Documents
(browser or application) near event near notif$6 with (transparen$2 or abstract$3)	0

Database:
```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search: L203

[Refine Search]

[Recall Text]   [Clear]   [Interrupt]

Search History

DATE: **Friday, November 24, 2006**   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L203	(browser or application) near event near notif$6 with (transparen$2 or abstract$3)	0	L203
L202	host adj application with event near notif$6	2	L202
L201	L188 and L200	13	L201
L200	notif$6 near (application or host or browser)	7840	L200
L199	low near memory near (os or operating adj system)	16	L199
L198	low near momory near (os or operating adj system)	0	L198
DB=USPT; PLUR=YES; OP=OR			
L197	US-6704764-B1.did.	1	L197
L196	US-6704764-B1.did.	1	L196
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L195	((jvm or run$1time) near reus$3)	17	L195
L194	((jvm or run$1time) with ((reus$3 or pool$3) near (thread or task)))	39	L194

L193	((jvm or run$1time) near ((creat$3 or fork$3) near thread or task))	186	L193
L192	L188 and L191	8	L192
L191	((jvm or run$1time) near notif$6)	62	L191
L190	L139 and L186	29	L190
L189	L187 and L188	1	L189
L188	((jvm or run$1time) near (event))	262	L188
L187	L185 and L186	159	L187
L186	((jvm or run$1time) near (abstract$3 or transparen$2))	159	L186
L185	((jvm or run$1time) near$2 ((entry or exit) near notif$6))	2539415	L185
L184	((jvm or run$1time) with ((entry or exit) near notif$6))	0	L184
L183	(notif$7 near (browser or client or host near application) with thread)	64	L183
L182	(thread or task) near state with (notif$7 near (browser or client or host near application))	0	L182
L181	(thread or task) near transition and (notif$7 near (browser or client or host near application))	11	L181
L180	(thread or task) near transition with notif$7	14	L180
L179	(thread or task) with ((enter$3 or leav$3) near (run$1time or jvm or java near machine))	4	L179
L178	(run$1time near environment or jvm or java near machine or abstract$3 near (interface or layer)) with (i$1o near port)	21	L178
L177	(run$1time near environment or jvm or java near machine or abstract$3 near (interface or layer)) with completion	61	L177
L176	(run$1time near environment or jvm or java near machine or abstract$3 near (interface or layer)) with completion near port	0	L176
L175	bind$3 near handle with completion	4	L175
L174	bind$3 near handle	553	L174
L173	L139 and L172	7	L173
L172	(run$1time near environment or jvm or java near machine or abstract$3 near (interface or layer)) with bind$3	106	L172
L171	(run$1time near environment or jvm or java near machine or abstract$3 near (interface or layer)) with bind$3 near port	2	L171
L170	L168 and L169	16	L170
L169	(run$1time near environment or jvm or java near machine or abstract$3 near (interface or layer))	13549	L169
L168	adjust$4 near priority	1130	L168
L167	adjust$4 near priority with (run$1time or jvm or java near machine or abstract$3)	3	L167
L166	callback with (run$1time or jvm or java near machine or abstract$3)	161	L166
L165	callback with (thread or task) near state	3	L165
L164	callback with runnable near state	2	L164
L163	L139 and L162	56	L163
L162	L157 and L161	759	L162
L161	(host or client or browser) near (interface or api)	31145	L161

L160	L159 and (run$1time or jvm or java near machine)	43	L160
L159	((performance or optimiz$4) near (reus$3 or pool$3))	377	L159
L158	L136 and L157	19	L158
L157	abstract$3 near layer	4209	L157

DB=USPT; PLUR=YES; OP=OR

L156	'5574915'.pn.	1	L156
L155	'5613120'.pn.	1	L155
L154	'5822787'.pn.	1	L154
L153	'5835743'.pn.	1	L153

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L152	(run$1time or jvm or java near machine) with ($4runnable)	31	L152
L151	set$4 near size with thread near pool	5	L151
L150	L139 and L149	8	L150
L149	set$4 near size with (browser or client or ((java or host) near application) with thread near pool)	125	L149
L148	(reus$3 or pool$3) near (run$1time or jvm or java near machine)	46	L148
L147	((run$1time) with ((ceat$3 or spawn$ or fork$3) near (task or thread)))	31	L147
L146	L145	2	L146
L145	((jvm or java near machine) with ((ceat$3 or spawn$ or fork$3) near (task or thread)))	2	L145
L144	((thread or task) with ((enter$3 or leav$3) near unmanaged))	0	L144
L143	((thread or task) with (reserve near (enter$3 or leav$3)))	4	L143
L142	(((thread or task) near (enter$3 or leav$3) or enter$3 or leav$3))	3217189	L142
L141	((reverse near (enter$3 or leav$3) or enter$3 or leav$3) near unmanaged)	3	L141
L140	L136 and L139	89	L140
L139	L93 or L138	10713	L139
L138	(711/170 |711/171 |711/172 |711/173).ccls.	3622	L138
L137	L93 and L136	82	L137
L136	((client or browser or host near application) with (jvm or java near machine))	857	L136
L135	(jvm or java near machine or run$1time) with ((mov$3 or chang$3) near (task or thread))	23	L135
L134	L126 and L133	6	L134
L133	$3manag$6 adj code	2367	L133
L132	3manag$6 adj code	0	L132
L131	L123 and L130	9	L131
L130	$3manag$6 near code	5155	L130
L129	notif$6 near run$1time	47	L129
L128	run$1time with ((memory near allocat$3) near fail$3)	3	L128
L127	host near application and L123	2	L127
L126	((abstract$3 or transparen$2) near (api or interface) with run$1time)	38	L126
L125	L123 and L124	1	L125

L124	customiz$4 near run$1time	117	L124
L123	((abstract$3 or transparen$2) near run$1time)	110	L123

DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR

L122	SEZGIN-BEYSIM!	21	L122
L121	BENDIXEN-MASON-K!	9	L121
L120	BRUMME-CHRISTOPHER-W!	34	L120
L119	CARLIN-PETER-A!	10	L119
L118	CARMICHAEL-IAN-H!	9	L118
L117	PRATSCHNER-STEVEN-J!	8	L117
L116	LIU-WEIWEN!	7	L116
L115	LIU-WEIWEN!	7	L115
L114	LIU-WEIWEN!	7	L114

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L113	L109 and L112	7	L113
L112	callback with (run$1time or jvm or java near machine)	126	L112
L111	callback near (run$1time or jvm or java near machine)	13	L111
L110	L69 and L109	1	L110
L109	L93 and L108	142	L109
L108	(abstract$3 or run$1time or jvm or java near machine) with allocat$3 near memory	663	L108
L107	(abstract$3 or run$1time or jvm or java near machine) with low near memory	24	L107
L106	abstract$3 near low near memory	2	L106
L105	6874149.pn.	2	L105
L104	6874419.pn.	2	L104
L103	6879419.pn.	2	L103
L102	re$1plac$6 near memory near (api or application near interface)	4	L102
L101	L83 and L93	10	L101
L100	L83 or L93	7583	L100
L99	((execut$3 or run$4) with unmanaged near code)	56	L99
L98	((execut$3 or run$4) near unmanaged near code)	10	L98
L97	(leav$3 or enter$3 or revers$3) with unmanaged near code	2	L97
L96	run$1time with unmanaged near code	21	L96
L95	run$1time near unmanaged near code	3	L95
L94	(jvm or java near machine) near unmanaged near code	0	L94
L93	L87 or L88 or L89 or L90 or L91	7281	L93
L92	L87 or L88 or L89 or L90 L91	7281	L92
L91	(707/206).ccls.	678	L91
L90	(719/318 |719/331 |719/332).ccls.	1274	L90
L89	(717/120 |717/121).ccls.	681	L89
L88	(718/1 |718/100 |718/104 |718/106).ccls.	3689	L88
L87	(719/328).ccls.	1249	L87

L86	(jvm or java near machine) near integrat$3	29	L86
L85	(jvm or java near machine) and L83	4	L85
L84	((api or application near interface) near (jvm or java near machine))	21	L84
L83	host near application near interface	312	L83
L82	L80 and L81	62	L82
L81	memory near allocat$3 or garbage near collection or ((creat$3 or fork$3 or spawn$3) near thread)	28690	L81
L80	((re$1direct$3 or detout$3) near (call or invok$3 or invocation or request) with (client or browser or host near application))	761	L80
L79	((customiz$4 near execut$3) with (client or browser or host near application))	27	L79
L78	((customiz$4 near execut$3) near (client or browser or host near application))	1	L78
L77	L75 and L76	88	L77
L76	memory near allocat$3 and garbage near collection and ((creat$3 or fork$3 or spawn$3) near thread)	110	L76
L75	L72 and L74	2537251	L75
L74	((api or application near interface) near$2 (jvm or java near machine))	2600493	L74
L73	((api or application near interface) and (jvm or java near machine))	1967	L73
L72	((customiz$4 near execut$3) near$2 (client or browser or host near application))	2726108	L72
L71	L69 and L70	30	L71
L70	(jvm or java near machine)	4112	L70
L69	((client or browser or host near application) with ((abstract$3 or transparen$2) near interface))	117	L69
L68	((api or application near interface) and (jvm or java near machine)).ab,ti.	25	L68
L67	((client or browser or host near application) and (api or application near interface) and (jvm or java near machine)).ab,ti.	4	L67
L66	((client or browser or host) with (integrat$3 near (jvm or java near machine or common adj language)))	0	L66
L65	((client or browser) with (integrat$3 near (jvm or java near machine or common adj language)))	0	L65
L64	(((client or browser or application) near integrat$3) with (jvm or java near machine or common adj language))	26	L64
L63	(((client or browser or application) near (api or application near interface)) with (jvm or java near machine or common adj language))	35	L63
L62	L60 and L61	123	L62
L61	callback with asynchronous$2	553	L61
L60	(((abstract$3 or transparent$3)) with (host or browser or client))	11754	L60
L59	((environment near (abstract$3 or transparent$3)) with (host or browser or client))	31	L59
L58	environment near (abstract$3 or transparent$3)	561	L58
L57	((run$1time or jvm or java near machine or abstract$3 or transparent$3) near (memory near manage$6 or event near notf$6))	94	L57

L56	((run$1time or jvm or java near machine or abstract$3 or transparent$3) near (memory near manage$6 or threading or event near notf$6))	133	L56
L55	maximum near number near (thread or task) with request	31	L55
L54	maximum near (thread or task) with service near request	2	L54
L53	maximum near (thread or task) near service near request	0	L53
L52	(((chang$3 or adjust$4) near priority)with (thread or task))	403	L52
L51	delay$3 near (abort$3 or kill$3 or terminat$3) near (thread or task)	3	L51
L50	L48 and L49	0	L50
L49	callback near asynchronous$2	96	L49
L48	completion near port	217	L48
L47	(personaliz$4 or customiz$4) near run$1time	121	L47
L46	(personaliz$4 or customiz$4) near runtime	47	L46
L45	((run$1time or jvm) near callback)	13	L45
L44	((run$1time or jvm) near notif$6 with callback)	3	L44
L43	((run$1time or jvm) near notif$6 near callback)	2	L43

DB=USPT; PLUR=YES; OP=OR

L42	'5442788'.pn.	1	L42
L41	'6073184'.pn.	1	L41
L40	'6185611'.pn.	1	L40
L39	'6185611'.pn.	1	L39
L38	'6185611'.pn.	1	L38
L37	'6282568'.pn.	1	L37
L36	'6282568'.pn.	1	L36
L35	'6463446'.pn.	1	L35
L34	'6463446'.pn.	1	L34

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L33	L31 and L32	25	L33
L32	notif$6 near event	3311	L32
L31	(jvm or run$1time) near event	262	L31

DB=JPAB; PLUR=YES; OP=OR

L30	JP-2004355638-A.did.	1	L30

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L29	memory near allocat$3 near noti$6	12	L29
L28	low near memory with notif$6	14	L28
L27	low near memory near notif$6	1	L27
L26	20040237064	2	L26
L25	(notif$6 near (jvm or run$1time))	62	L25
L24	L22 and L23	39	L24
L23	event near notif$6 or (notif$6 near (jvm or run$1time))	3370	L23
L22	(jvm or run$1time) and L21	647	L22
L21	abstract$3 near interface	1565	L21
	(postpon$3 or delay$3) with (abort$3 or terminat$3 or kill$3) near (thread		

L20	or task)	35	L20
L19	(postpon$3 or delay$3) near (abort$3 or terminat$3 or kill$3) near (thread or task)	3	L19
L18	host adj application with (abort$3 or terminat$3 or kill$3) near (task or thread)	3	L18
L17	call$1back with host adj application	20	L17
L16	event near notif$6 and L15	13	L16
L15	(jvm or run$1time) with (memory adj allocat$3 or garbage adj collection)	730	L15
L14	event near notif$6 with (memory adj allocat$3 or garbage adj collection)	0	L14
L13	host adj application with (memory adj allocat$3 or garbage adj collection)	9	L13
L12	L9 and L11	51	L12
L11	host near (abstract$3 or transparen$2 or interface)	19988	L11
L10	event near notif$6 and L9	22	L10
L9	(jvm or run$1time) near interface	568	L9
L8	(jvm or run$1time) and L7	21	L8
L7	event near notif$6 and L6	71	L7
L6	host adj application	6265	L6
L5	event near notif$6 and L4	1	L5
L4	(jvm or run$1time) near (abstract$3 or transparen$3)	177	L4
L3	(jvm or run$1time) and L1	29	L3
L2	jvm and L1	2	L2
L1	host near abstract$3	126	L1

END OF SEARCH HISTORY